

I _ النشر و التعميل :

(1) - النشر :

(أ) -- قاعدة 1 :

$$\begin{aligned} (b+c) \times a &= ab + ac && \text{و } b \text{ و } c \text{ أعداد حقيقة.} \\ (b-c) \times a &= ab - ac && \text{و } a(b+c) = ab + ac \\ &&& a(b-c) = ab - ac \end{aligned}$$

* مثال :

$$\begin{aligned} B &= (-3x - 5) \times (-4x) \\ &= -4x \times (-3x) - (-4x) \times 5 \\ &= 12x^2 + 20x \end{aligned}$$

$$\begin{aligned} A &= 2x(x + 4) \\ &= 2x \times x + 2x \times 4 \\ &= 2x^2 + 8x \end{aligned}$$

(ب) -- قاعدة 2 :

$$\begin{aligned} (a+b)(c+d) &= a(c+d) + b(c+d) && \text{و } a \text{ و } b \text{ و } c \text{ و } d \text{ أعداد حقيقة.} \\ &= ac + ad + bc + bd \end{aligned}$$

* مثال :

$$\begin{aligned} D &= (-2x - 4)(-3 - x) \\ &= -2x(-3 - x) - 4(-3 - x) \\ &= 6x + 2x^2 + 12 + 4x \\ &= 2x^2 + 6x + 4x + 12 \\ &= 2x^2 + 10x + 12 \end{aligned}$$

$$\begin{aligned} C &= (2-x)(3x+1) \\ &= 2(3x+1) - x(3x+1) \\ &= 6x + 2 - 3x^2 - x \\ &= -3x^2 + 6x - x + 2 \\ &= -3x^2 + 5x + 2 \end{aligned}$$

* تمرين تطبيقي :

أنشر ثم بسط ما يلي :

$$A = 3x(2x+1) + (3x-2)(x+7)$$

$$B = 2\sqrt{3}(x+\sqrt{3}) - \sqrt{5}(\sqrt{5}-2x)$$

الحل :

$$\begin{aligned} B &= 2\sqrt{3}(x + \sqrt{3}) - \sqrt{5}(\sqrt{5} - 2x) \\ &= 2x\sqrt{3} + 2\sqrt{3}^2 - \sqrt{5}^2 + 2x\sqrt{5} \\ &= 2x\sqrt{3} + 2x\sqrt{5} + 6 - 5 \\ &= 2x\sqrt{3} + 2x\sqrt{5} + 1 \end{aligned}$$

$$\begin{aligned} A &= 3x(2x + 1) + (3x - 2)(x + 7) \\ &= 6x^2 + 3x + 3x(x + 7) - 2(x + 7) \\ &= 6x^2 + 3x + 3x^2 + 21x - 2x - 14 \\ &= 6x^2 + 3x^2 + 3x + 21x - 2x - 14 \\ &= 9x^2 + 22x - 14 \end{aligned}$$

(2) - التعميل :

أ) -- قاعدة :

أعداد حقيقة .

$$\begin{aligned} ab + ac &= a(b + c) \\ ab - ac &= a(b - c) \end{aligned}$$

ب) -- مثال :

$$\begin{aligned} B &= 2x(x - 1) + (x - 1)(4x + 5) \\ &= (x - 1)[2x + (4x + 5)] \\ &= (x - 1)(2x + 4x + 5) \\ &= (x - 1)(6x + 5) \end{aligned}$$

$$\begin{aligned} A &= 2abc + 7ab - 11ac \\ &= a(2bc + 7b - 11c) \end{aligned}$$

* تمرين تطبيقي :
عمل ما يلي :

$$\begin{aligned} A &= 8xy + 12x^2y - 4xy^2 \\ B &= (2x + 1)(5 - x) - (2x + 1)(7x + 3) \end{aligned}$$

الحل :

$$\begin{aligned} B &= (2x + 1)(5 - x) - (2x + 1)(7x + 3) \\ &= (2x + 1)[(5 - x) - (7x + 3)] \\ &= (2x + 1)(5 - x - 7x - 3) \\ &= (2x + 1)(-x - 7x + 5 - 3) \\ &= (2x + 1)(-8x + 2) \\ &= (2x + 1) \times 2(-4x + 1) \\ &= 2(2x + 1)(-4x + 1) \end{aligned}$$

$$\begin{aligned} A &= 8xy + 12x^2y - 4xy^2 \\ &= 4xy(2 + 3x - y) \end{aligned}$$

(1) - قواعد :

 a و b عددين حقيقيان .

$$(a+b)^2 = a^2 + 2ab + b^2$$

$$(a-b)^2 = a^2 - 2ab + b^2$$

$$(a+b)(a-b) = a^2 - b^2$$

(2) - تطبيقات :

* المتطابقات الهامة والنشر :

$$\begin{aligned} C &= (2\sqrt{2} + 3x)(2\sqrt{2} - 3x) \\ &= (2\sqrt{2})^2 - (3x)^2 \\ &= 8 - 9x^2 \end{aligned} \quad \begin{aligned} B &= (5 - 7x)^2 \\ &= 5^2 - 2 \times 5 \times 7x + (7x)^2 \\ &= 25 - 70x + 49x^2 \end{aligned} \quad \begin{aligned} A &= (2x + 3)^2 \\ &= (2x)^2 + 2 \times 2x \times 3 + 3^2 \\ &= 4x^2 + 12x + 9 \end{aligned}$$

* المتطابقات الهامة و التعميل :

$$\begin{aligned} F &= 144x^2 - 4 \\ &= (12x)^2 - 2^2 \\ &= (12x - 2)(12x + 2) \end{aligned} \quad \begin{aligned} E &= 16 - 56x + 49x^2 \\ &= (4)^2 - 2 \times 4 \times 7x + (7x)^2 \\ &= (4 - 7x)^2 \end{aligned} \quad \begin{aligned} D &= 25x^2 + 30x + 9 \\ &= (5x)^2 + 2 \times 5x \times 3 + 3^2 \\ &= (5x + 3)^2 \end{aligned}$$

* تمرين تطبيقي :

(1) - أنشر ثم بسط ما يلي :

$$A = (2x + 1)^2 - (3x + 5)(3x - 5)$$

$$B = (7 - 2x)^2 + 4x(1 - x)$$

(2) - عمل ما يلي :

$$C = 25x^2 - 4 + (5x - 2)(5x + 6)$$

$$D = 9x^2 - 6x + 1 + 5x(3x + 1)$$

الحل :

(1) - النشر و التبسيط :

$$\begin{aligned}B &= (7 - 2x)^2 + 4x(1 - x) \\&= [7^2 - 2 \times 7 \times 2x + (2x)^2] + [4x - 4x^2] \\&= 49 - 28x + 4x^2 + 4x - 4x^2 \\&= 4x^2 - 4x^2 - 28x + 4x + 49 \\&= -24x + 49\end{aligned}$$

$$\begin{aligned}A &= (2x + 1)^2 - (3x + 5)(3x - 5) \\&= [(2x)^2 + 2 \times 2x \times 1 + 1^2] - [(3x)^2 - 5^2] \\&= [4x^2 + 4x + 1] - [9x^2 - 25] \\&= 4x^2 + 4x + 1 - 9x^2 + 25 \\&= 4x^2 - 9x^2 + 4x + 1 + 25 \\&= -5x^2 + 4x + 26\end{aligned}$$

(2) - التعميل :

$$\begin{aligned}D &= 9x^2 - 6x + 1 + 5x(3x + 1) \\&= (3x)^2 - 2 \times 3x \times 1 + 1^2 + 5x(3x + 1) \\&= (3x - 1)^2 + 5x(3x + 1) \\&= (3x - 1)(3x + 1) + 5x(3x + 1) \\&= (3x + 1)[(3x - 1) + 5x] \\&= (3x + 1)(3x - 1 + 5x) \\&= (3x + 1)(8x - 1)\end{aligned}$$

$$\begin{aligned}C &= 25x^2 - 4 + (5x - 2)(5x + 7) \\&= (5x)^2 - 2^2 + (5x - 2)(5x + 7) \\&= (5x - 2)(5x + 2) + (5x - 2)(5x + 7) \\&= (5x - 2)[(5x + 2) + (5x + 7)] \\&= (5x - 2)(5x + 2 + 5x + 7) \\&= (5x - 2)(10x + 9)\end{aligned}$$